

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 29.06.2018

Version 15.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

REACH Registration Number A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. 7439-92-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number Please contact the regional company representation in your country.

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Reproductive toxicity, Category 1A, H360Df

Acute toxicity, Category 4, Inhalation, H332

Acute toxicity, Category 4, Oral, H302

Specific target organ toxicity - repeated exposure, Category 2, Blood, Central nervous system, Immune system, Kidney, H373

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H360Df May damage the unborn child. Suspected of damaging fertility.

H302 + H332 Harmful if swallowed or if inhaled.

H373 May cause damage to organs (Blood, Central nervous system, Immune system, Kidney) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P314 Get medical advice/ attention if you feel unwell.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Restricted to professional users.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H360Df May damage the unborn child. Suspected of damaging fertility.

Precautionary statements

P201 Obtain special instructions before use.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Index-No. 082-001-00-6

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	Pb (Hill)
Index-No.	082-001-00-6
EC-No.	231-100-4
Molar mass	207,2 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Lead (<= 100 %)

7439-92-1	*)	Reproductive toxicity, Category 1A, H360Df
		Acute toxicity, Category 4, H332
		Acute toxicity, Category 4, H302

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Specific target organ toxicity - repeated exposure, Category 2,
H373
Acute aquatic toxicity, Category 1, H400
Chronic aquatic toxicity, Category 1, H410

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician. Do not give milk or alcoholic beverages.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any symptoms of toxicity.

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water).
activated charcoal (20 - 40 g in 10% slurry).

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Environmental exposure controls

No special precautionary measures necessary.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	silver
Odour	odourless
Odour Threshold	Not applicable
pH	No information available.
Melting point	ca. 327 °C
Boiling point/boiling range	1.740 °C at 1.013 hPa
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Density 11,3 g/cm³
at 20 °C

Relative density No information available.

Water solubility at 20 °C
practically insoluble

Partition coefficient: n-
octanol/water No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

azides, picrates, ammonium nitrate, Strong oxidizing agents

Exothermic reaction with:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Fluorine, hydrogen peroxide

Generates dangerous gases or fumes in contact with:

Nitric acid

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Acute toxicity estimate: 500,1 mg/kg

Expert judgement

Acute inhalation toxicity

Acute toxicity estimate: 1,6 mg/l; dust/mist

Expert judgement

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

CMR effects

Teratogenicity:

May damage the unborn child. Positive evidence from human epidemiological studies.

Reproductive toxicity:

May damage fertility. Positive evidence from human epidemiological studies.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Target Organs: Central nervous system, Blood, Immune system, Kidney

Aspiration hazard

This information is not available.

11.2 Further information

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S. (LEAD)
14.3 Class 9
14.4 Packing group III
14.5 Environmentally hazardous yes
14.6 Special precautions for user yes

Tunnel restriction code -

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

14.1 UN number UN 3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S. (LEAD)
14.3 Class 9
14.4 Packing group III
14.5 Environmentally hazardous yes
14.6 Special precautions for user no

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sea transport (IMDG)

14.1 UN number UN 3077
14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S. (LEAD)
14.3 Class 9
14.4 Packing group III
14.5 Environmentally hazardous yes
14.6 Special precautions for user yes

EmS F-A S-F

Segregation Group 0007 Heavy Metals and their salts (incl. their organometallic
compounds)
0009 Lead and its compounds

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

Major Accident Hazard SEVESO III
Legislation ENVIRONMENTAL HAZARDS
E1
Quantity 1: 100 t
Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 59 above the respective regulatory concentration limit of > 0.1 % (w/w).

Contains: Lead

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365
Product name Lead foil for analysis about 0.25 mm thick EMSURE®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H302 + H332 Harmful if swallowed or if inhaled.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs (Blood, Central nervous system, Immune system, Kidney) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 107365

Product name Lead foil for analysis about 0.25 mm thick EMSURE®

P273 Avoid release to the environment.

Response

P314 Get medical advice/ attention if you feel unwell.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.